



Chain Sling G80 3-leg with Safety Hooks and Grab Hooks

Product information

High quality 3-leg chain sling equipped with self-locking hooks with shortening hooks. Manufactured with high quality grade 80 components. Chain slings are one of the most popular tools for lifting loads in various industries. They are ideal as auxiliary equipment for transporting and lifting loads. All our slings meet the requirements of EU standards and have CE marking. The main advantages of our lifting slings are high resistance to mechanical damage and temperature, they are 100% safe and offer high WLL with low own weight.

Material: Steel

Marking: According to standard, CE-marked

Temperature range: -40°C up to +200°C / 400°C = WLL 75%

Finish: Painted, black / yellow

Standard: EN 818-4

Safety factor: 4:1

Grade: 8

Part Code

**WLL
ton**

42070691W

2.36

42070699W

2.36

42070695W

2.36

42070697W

2.36

42070693W

2.36

42070703W

2.36

42070701W	2.36
42070707W	2.36
42070705W	2.36
42070709W	2.36
42070711W	4.25
42070715W	4.25
42070713W	4.25
42070719W	4.25
42070717W	4.25
42070723W	4.25
42070721W	4.25
42070725W	4.25
42070727W	4.25
42070729W	4.25
42070631W	6.7
42070635W	6.7
42070633W	6.7
42070639W	6.7
42070637W	6.7
42070643W	6.7
42070641W	6.7
42070645W	6.7
42070647W	6.7

42070649W	6.7
42070651W	11.2
42070655W	11.2
42070653W	11.2
42070659W	11.2
42070657W	11.2
42070663W	11.2
42070661W	11.2
42070665W	11.2
42070667W	11.2
42070669W	11.2
42070675W	17
42070673W	17
42070679W	17
42070677W	17
42070683W	17
42070681W	17
42070685W	17
42070687W	17
42070689W	17

Blueprint

