

Chain Sling G80 3-leg with Safety Hooks

Product information

High quality 3-leg chain sling equipped with self-locking hooks. Manufactured with high quality grade 80 components. Chain slings are one of the most popular tools for lifting loads in various industries. They are ideal as auxiliary equipment for transporting and lifting loads. All our slings meet the requirements of EU standards and have CE marking. The main advantages of our lifting slings are high resistance to mechanical damage and temperature, they are 100% safe and offer high WLL with low own weight.

Material: Steel

Marking: According to standard, CE-marked

Temperature range: -40°C up to +200°C / 400°C = WLL 75%

Finish: Painted, black / yellow

Standard: EN 818-4

Safety factor: 4:1

Grade: 8



Part Code

WLL ton

42070690W

2.36

42070694W

2.36

42070692W

2.36

42070698W

2.36

42070696W

2.36

42070702W

2.36

42070700W

2.36

42070704W	2.36
42070706W	2.36
42070708W	2.36
42070710W	4.25
42070714W	4.25
42070712W	4.25
42070718W	4.25
42070716W	4.25
42070722W	4.25
42070720W	4.25
42070724W	4.25
42070726W	4.25
42070728W	4.25
42070630W	6.7
42070634W	6.7
42070632W	6.7
42070638W	6.7
42070636W	6.7
42070640W	6.7
42070642W	6.7
42070644W	6.7
42070646W	6.7

42070648W	6.7
42070650W	11.2
42070654W	11.2
42070652W	11.2
42070658W	11.2
42070656W	11.2
42070662W	11.2
42070660W	11.2
42070664W	11.2
42070666W	11.2
42070668W	11.2
42070674W	17
42070672W	17
42070678W	17
42070676W	17
42070682W	17
42070680W	17
42070684W	17
42070686W	17
42070688W	17

Blueprint

