



## Roundslings Duplex FORANKRA R2 Double Sleeve

### Product information

High-quality roundslings made in accordance with PN-EN 1492-2, a Polish manufacturer who uses only top-grade materials from Europe for their production.

Characteristics:

- Markings: label with abbreviated instructions. Number of black stripes along the sling informs about the lifting capacity in tons.
- The highest versatility of use among slings.
- Excellent ratio of dead weight to lifting load.
- Can be used for lifting materials sensitive to damage, such as bundles of copper pipes, aluminum sections, etc.
- High resistance to moisture and typical contaminants, such as grease and oil.

**Material:** 100% PES, double sleeve, high quality polyester yarn

**Marking:** According to standard, CE-marked

**Temperature range:** -40°C up to +100°C

**Standard:** EN 1492-2

**Note:** Colour Coded

Part Code

WLL  
ton

41070006F

1

41070008F

1

41070009F

1

41070162F

1

41070011F	1
41070012F	1
41070176F	1
41070150F	1
41070178F	1
41070179F	1
41070025F	2
41070155F	2
41070028F	2
41070180F	2
41070030F	2
41070031F	2
41070032F	2
41070033F	2
41070181F	2
41070182F	2
41070183F	3
41070184F	3
41070044F	3
41070185F	3
41070041F	3
41070047F	3
41070048F	3

41070186F	3
41070187F	3
41070188F	3
41070189F	4
41070190F	4
41070191F	4
41070192F	4
41070193F	4
41070056F	4
41070156F	4
41070058F	4
41070194F	4
41070195F	4
41070145F	5
41070169F	5
41070196F	5
41070151F	5
41070197F	5
41070069F	5
41070198F	5
41070148F	5
41070172F	5
41070199F	5

41070200F	6
41070201F	6
41070202F	6
41070203F	6
41070204F	6
41070160F	6
41070205F	6
41070206F	6
41070207F	6
41070208F	6
41070167F	8
41070175F	8
41070209F	8
41070157F	8
41070210F	8
41070154F	8
41070211F	8
41070212F	8
41070213F	8
41070214F	8
41070171F	10
41070215F	10
41070216F	10

41070149F

10

41070217F

10

41070218F

10

41070159F

10

41070219F

10