



Black Belt Sling Extreema® with HMPE core

Product information

These EXTREEMA[®] HMPE soft slings have an extensive track record and a solid global footprint in the heavy lift industry. The Black Belt $Sling^{TM}$ has unparalleled load-bearing capacity, ensuring the safe and efficient lifting of even the heaviest loads.

The core is made of general HMPE (Trosar®), which makes it up to 15 times stronger than steel on a weight-to-weight basis.

The sleeve is an orange PES inner sleeve and is covered with a black knitted Cordur[®] outer sleeve, which is known for its resistance to abrasions, tears, and scuffs. The black sleeve is repairable.

Features:

- Lightweight and flexible, easy to handle
- Repairable sleeve
- · Does not absorb water
- · Floats on water
- · Abrasion, tearing and scuff resistant
- Sustainable
- High pressure resistant
- EWL: 0,5m 65m

Material: PES, Dyneema

Marking: According to standard, CE-marked Temperature range: -50°C up to +70°C

Standard: EN 1492-2

Safety factor: 7:1

WLL

ton

	30
	40
	40
	40
	50
	50
	50
	75
	75
	80
	80
	85
	85
	85
	85
	85
1	100
1	100
1	100
1	100
1	120
1	120
	125

125
150
160
180
180
200
200
200
250
250
250
250