

## Black Belt Sling Extreema® with Dyneema® core

### Product information



These EXTREEMA® HMPE soft slings have an extensive track record and a solid global footprint in the heavy lift industry. The Black Belt Sling™ has unparalleled load-bearing capacity, ensuring the safe and efficient lifting of even the heaviest loads.

The core is made of Bio Based Dyneema®, which makes it up to 15 times stronger than steel on a weight-to-weight basis.

The sleeve is an orange PES inner sleeve and is covered with a black knitted Cordura® outer sleeve, which is known for its resistance to abrasions, tears, and scuffs. The black sleeve is repairable.

#### Features:

- Lightweight and flexible, easy to handle
- Repairable sleeve
- Does not absorb water
- Floats on water
- Abrasion, tearing and scuff resistant
- Sustainable
- High pressure resistant
- EWL: 0,5m – 65m

**Material:** PES, Dyneema®

**Marking:** According to standard, CE-marked

**Temperature range:** -50°C up to +70°C

**Standard:** EN 1492-2

**Safety factor:** 7:1

**Part Code**

**WLL**  
**ton**

12.20EXCO0150XXX	15
-	15
-	16
-	18
12.20EXCO0200XXX	20
-	20
-	20
-	20
-	20
-	20
-	20
-	25
-	25
-	25
-	25
-	25
-	25
-	25
12.20EXCO0300050	30
12.20EXCO0300XXX	30
-	30
-	30
-	30
-	30



-	45
-	45
-	45
-	45
12.20EXCO0500XXX	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	55
-	56
-	56
-	60

-	60
-	60
-	60
-	60
-	60
-	60
-	60
-	60
-	60
-	60
-	60
-	60
-	65
-	65
-	65
-	65
-	70
12.20EXCO0750050	75
12.20EXCO0750XXX	75
-	75
-	75
-	75
-	80
-	80
-	80

-	80
-	80
-	80
-	90
-	90
-	90
12.20EXCO1000050	100
12.20EXCO1000XXX	100
-	100
-	100
-	100
-	100
-	120
-	120
-	120
-	120
-	120
-	120
12.20EXCO1250500	125
12.20EXCO1250XXX	125
-	125
-	125
-	125
-	125



-	217.4
-	220
-	250
-	250
-	250
-	269.8
-	269.8
-	270
-	290