

## Extra wide webbing slings 7 - 22,5 t



### Product information

We manufacture webbing slings with extra widths, lengths, and forms in our own sewing shop in Finland according to customers' size requirements.

Extra wide webbing slings for paper machine reels and other extra heavy loads. Perfect for when the surface pressure on the load to be lifted should be as low as possible.

Folded reinforced eyes as standard. Elongation with maximum workload approx. 5%.

Note! Standard dimensional tolerance is  $\pm 3\%$ . Lengths can vary within the tolerance range!

**Features:** RFID-ready

**Material:** 100% polyester

**Marking:** CE-marked

**Temperature range:** -40°C - +100 °C

**Safety factor:** 7:1

Part Code	WLL ton
NOM1402	7
NOM1403	7
NOM1404	7
NOM1405	7
NOM1406	7

NOM1408	7
NOM1410	7
NOM14XX	7
NOM2202	11
NOM2203	11
NOM2204	11
NOM2205	11
NOM2206	11
NOM2208	11
NOM2210	11
NOM22XX	11
NOM3203	16
NOM3204	16
NOM3205	16
NOM3206	16
NOM3208	16
NOM3210	16
NOM32XX	16
NOM4503	22.5
NOM4504	22.5
NOM4505	22.5
NOM4506	22.5
NOM4508	22.5

NOM4510

22.5

NOM45XX

22.5