



Clevis sling hook with latch SALKH, grade 80

Product information

Clevis sling hook with latch, grade 80.

Hook is equipped with spring loaded safety latch. Attachment directly to the chain with clevis link.

Material: Steel

Marking: According to standard, CE-marked

Temperature range: -40 - (+)200°C / 400°C = WLL 75%

Finish: Painted, yellow

Standard: EN 1677-2

Warning: Not to be heat-treated

Safety factor: 4:1

Grade: 8

Part Code	WLL ton	EWL mm	For chain dia. mm	K mm	H mm	E mm	M mm	R mm	B mm	Weight kg	Delivery time
42040164F	1.12	76	6	76	23	26	8	35	32	0.32	2
42040167F	2	85	7/8	85	32	29	9.5	37	37	0.48	2
42040156F	3.15	104	10	104	35	32	13	46	49	0.95	2
42040158F	5.3	128	13	128	42	36	16	56	56	1.8	2
42040160F	8	150	16	150	54	55	21	60	70	3.4	2
42040162F	12.5	180	20	180	58	61	24	79	77	6	2

Technical data

SPARE PARTS

Spare part set (product code) Inc. latch, spring and pin/nut	Fits the hook (product code)
SALKHVO6S	SALKH6
SALKHVO78S	SALKH78
SALKHVO10S	SALKH10
SALKHVO13S	SALKH13
SALKHVO16S	SALKH16
SALKHVO20S	SALKH20

Blueprint

