



Clevis sling hook with latch SALKAH, grade 100

Product information

Hook is equipped with spring loaded safety latch. Attachment directly to the chain with clevis link.

Material: Steel

Marking: CE-marked

Temperature range: -40 - (+)200°C / 400°C = WLL 75%

Finish: Painted, blue

Warning: Not to be heat-treated

Safety factor: 4:1

Grade: 10

Part Code	WLL ton	For chain dia. mm	P1 mm	H mm	K mm	Weight kg	Delivery time
42050126F	1.4	6	18	21	75	0.33	2
42050137F	2.5	8	25	27	85	0.7	2
42050127F	4	10	28	33	104	1.3	2
42050129F	6.7	13	38	42	128	2.3	2
42050132F	10	16	44	50	150	3.6	2
42050134F	16	20	52	56	180	7.3	2
42050135F	19	22	66	62	213	12.1	2

Technical data

SPARE PARTS

Spare part set (product code) Inc. latch, spring and pin/nut	Fits the hook (product code)
SALKAHVO1006S	SALKAH1006
SALKAHVO1078S	SALKAH1078
SALKAHVO1010S	SALKAH1010
SALKAHVO1013S	SALKAH1013
SALKAHVO1016S	SALKAH1016
SALKAHVO1020S	SALKAH1020
SALKAHVO1022S	SALKAH1022

Blueprint

