

Black Belt Sling Extreema® with Dyneema® core

Product information



These EXTREEMA® HMPE soft slings have an extensive track record and a solid global footprint in the heavy lift industry. The Black Belt Sling™ has unparalleled load-bearing capacity, ensuring the safe and efficient lifting of even the heaviest loads.

The core is made of Bio Based Dyneema®, which makes it up to 15 times stronger than steel on a weight-to-weight basis.

The sleeve is an orange PES inner sleeve and is covered with a black knitted Cordura® outer sleeve, which is known for its resistance to abrasions, tears, and scuffs. The black sleeve is repairable.

Features:

- Lightweight and flexible, easy to handle
- Repairable sleeve
- Does not absorb water
- Floats on water
- Abrasion, tearing and scuff resistant
- Sustainable
- High pressure resistant
- EWL: 0,5m – 65m

Marking: According to standard, CE-marked

Standard: EN 1492-2

Safety factor: 7:1

Код товара

WLL
ton

-

12

12.20EXCO0150XXX

15

-	15
-	16
-	18
12.20EXCO0200XXX	20
-	20
-	20
-	20
-	20
-	20
-	20
-	25
-	25
-	25
-	25
-	25
-	25
-	25
12.20EXCO0300050	30
12.20EXCO0300XXX	30
-	30
-	30
-	30
-	30
-	30

-

30

-

30

-

30

-

35

-

35

-

35

-

35

-

35

-

35

12.20EXCO0400050

40

12.20EXCO0400XXX

40

-

40

-

40

-

40

-

40

-

40

-

40

-

40

-

40

-

40

-

40

-

45

-

45

-	45
-	45
-	45
12.20EXCO0500XXX	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	50
-	55
-	56
-	56
-	60
-	60

-	60
-	60
-	60
-	60
-	60
-	60
-	60
-	60
-	60
-	60
-	65
-	65
-	65
-	70
12.20EXCO0750050	75
12.20EXCO0750XXX	75
-	75
-	75
-	75
-	80
-	80
-	80
-	80

-	80
-	90
-	90
-	90
12.20EXCO1000050	100
12.20EXCO1000XXX	100
-	100
-	100
-	100
-	100
-	120
-	120
-	120
-	120
-	120
12.20EXCO1250500	125
12.20EXCO1250XXX	125
-	125
-	125
-	125
-	125
-	125
12.20EXCO1500500	150

12.20EXCO1500XXX	150
-	150
-	150
-	150
-	150
-	160
-	160
-	180
-	180
-	180
-	185
-	195
-	195
12.20EXCO2000500	200
12.20EXCO2000XXX	200
-	200
-	200
-	200
-	200
-	200
-	217,4
-	217,4
-	220

-	250
-	250
-	250
-	269,8
-	269,8
-	270
-	290