

Turnbuckles open frame with stubs DIN 1480

Product information



Commercial quality turnbuckles with weldable stubs for all kind of use.



| Код товара | Length mm | Thread | a mm | b mm | c mm | Вес kg | Delivery time |
|-------------------|----------------------|---------------|-----------------|-----------------|-----------------|-------------------|----------------------|
| 47070058F | 240-320 | M6 | 240 – 320 | 110 | 65 | 0,093 | 12 |
| 47070059F | 240-315 | M8 | 240 – 315 | 110 | 65 | 0,14 | 12 |
| 47070047F | 300-385 | M10 | 300 – 385 | 125 | 75 | 0,28 | 12 |
| 47070050F | 300-380 | M12 | 300 – 380 | 125 | 75 | 0,4 | 12 |
| 47070046F | 400-510 | M16 | 400 – 510 | 170 | 100 | 0,89 | 12 |
| 47070061F | 440-570 | M20 | 440 – 570 | 200 | 120 | 1,6 | 12 |
| 47070062F | 520-690 | M24 | 520 – 690 | 255 | 150 | 2,82 | 12 |
| 47070063F | 520-680 | M30 | 520 – 680 | 255 | 160 | 4,23 | 12 |
| 47070064F | 600-780 | M36 | 600 – 780 | 295 | 180 | 7,07 | 12 |
| 47070065F | 700-900 | M42 | 700 – 900 | 330 | 200 | 11,6 | 12 |
| 47070066F | 760-955 | M48 | 760 – 955 | 355 | 195 | 19 | 12 |

Blueprint

