



Eye / Eye Crosby HG-226

Інформація про товар

End fittings are quenched and tempered, bodies heat treated by normalizing.
Turnbuckle eyes are forged elongated, by design, to maximize easy attachment in system and minimize stress in the eye. For turnbuckle sizes 6 mm through 64 mm, a shackle one size smaller can be reeved through eye.

Standard: According to Federal Specifications FF-T-791b.

Коефіцієнт запасу міцності: 5:1

| Код товару | Вантажопідйомність тон | Thread dia. & take up mm | Thread dia. & take up inch | A mm | J open | K closed | M open | N closed | R mm | S mm | X closed | BB mm | Bara кг | Delivery time |
|--------------|---------------------------|-----------------------------|-------------------------------|---------|--------|----------|--------|----------|---------|---------|----------|----------|------------|---------------|
| 11.511031252 | 0,23 | 6.35 x 102 | 1/4 x 4 | 6,35 | 303 | 202 | 314 | 213 | 20,6 | 8,64 | 44,6 | 103 | 0,13 | 12 |
| 11.511031270 | 0,36 | 7.94 x 114 | 5/16 x 4-1/2 | 7,94 | 354 | 239 | 368 | 253 | 24,1 | 11,2 | 55,8 | 116 | 0,22 | 12 |
| 11.511031298 | 0,54 | 9.53 x 152 | 3/8 x 6 | 9,53 | 446 | 294 | 463 | 311 | 28,7 | 13,5 | 62,9 | 155 | 0,34 | 12 |
| 11.511031314 | 1 | 12.7 x 152 | 1/2 x 6 | 12,7 | 506 | 354 | 529 | 376 | 35,8 | 18 | 90,4 | 153 | 0,78 | 12 |
| 11.511031350 | 1 | 12.7 x 305 | 1/2 x 12 | 12,7 | 819 | 514 | 841 | 536 | 35,8 | 18 | 89,9 | 314 | 1,19 | 12 |
| 11.511031378 | 1,59 | 15.9 x 152 | 5/8 x 6 | 15,9 | 552 | 399 | 577 | 425 | 45,7 | 22,4 | 110 | 153 | 1,25 | 12 |
| 11.511031412 | 1,59 | 15.9 x 305 | 5/8 x 12 | 15,9 | 865 | 560 | 891 | 586 | 45,7 | 22,4 | 110 | 315 | 1,87 | 12 |

| | | | | | | | | | | | | | | |
|--------------|------|------------|------------|------|-------|-------|-------|-------|------|------|-----|-----|------|----|
| 11.511031430 | 2,36 | 19.1 x 152 | 3/4 x 6 | 19,1 | 590 | 438 | 622 | 470 | 53,1 | 25,4 | 130 | 156 | 1,91 | 12 |
| 47100012B | 2,36 | 19.1 x 305 | 3/4 x 12 | 19,1 | 905 | 600 | 937 | 632 | 53,1 | 25,4 | 129 | 320 | 2,78 | 12 |
| 11.511031494 | 2,36 | 19.1 x 457 | 3/4 x 18 | 19,1 | 1 210 | 753 | 1 242 | 785 | 53,1 | 25,4 | 130 | 471 | 3,55 | 12 |
| 11.511031519 | 3,27 | 22.2 x 305 | 7/8 x 12 | 22,2 | 932 | 627 | 970 | 665 | 60,5 | 31,8 | 147 | 309 | 4,01 | 12 |
| 11.511031537 | 3,27 | 22.2 x 457 | 7/8 x 18 | 22,2 | 1 249 | 792 | 1 287 | 830 | 60,5 | 31,8 | 147 | 473 | 5,22 | 12 |
| 11.511031555 | 4,54 | 25.4 x 152 | 1 x 6 | 25,4 | 666 | 514 | 711 | 559 | 76,2 | 36,3 | 165 | 157 | 4,36 | 12 |
| 11.511031573 | 4,54 | 25.4 x 305 | 1 x 12 | 25,4 | 971 | 666 | 1 016 | 711 | 76,2 | 36,3 | 165 | 309 | 5,88 | 12 |
| 11.511031591 | 4,54 | 25.4 x 457 | 1 x 18 | 25,4 | 1 276 | 819 | 1 321 | 864 | 76,2 | 36,3 | 165 | 462 | 7,4 | 12 |
| 11.511031617 | 4,54 | 25.4 x 610 | 1 x 24 | 25,4 | 1 596 | 987 | 1 641 | 1 031 | 76,2 | 36,3 | 154 | 631 | 9,14 | 12 |
| 11.511031635 | 6,89 | 31.8 x 305 | 1-1/4 x 12 | 31,8 | 1 070 | 766 | 1 127 | 822 | 91,2 | 46,2 | 216 | 306 | 9,01 | 12 |
| 11.511031653 | 6,89 | 31.8 x 457 | 1-1/4 x 18 | 31,8 | 1 375 | 918 | 1 432 | 975 | 92,1 | 46,2 | 216 | 459 | 10,8 | 12 |
| 11.511031671 | 6,89 | 31.8 x 610 | 1-1/4 x 24 | 31,8 | 1 694 | 1 085 | 1 751 | 1 141 | 91,2 | 46,2 | 216 | 625 | 12,6 | 12 |
| 11.511031699 | 9,71 | 38.1 x 305 | 1-1/2 x 12 | 38,1 | 1 124 | 819 | 1 187 | 882 | 104 | 53,8 | 240 | 313 | 13 | 12 |
| 11.511031715 | 9,71 | 38.1 x 457 | 1-1/2 x 18 | 38,1 | 1 428 | 971 | 1 492 | 1 035 | 104 | 53,8 | 240 | 465 | 15,4 | 12 |
| 11.511031733 | 9,71 | 38.1 x 610 | 1-1/2 x 24 | 38,1 | 1 749 | 1 139 | 1 813 | 1 203 | 104 | 53,8 | 240 | 633 | 17,9 | 12 |
| 11.511031779 | 12,7 | 44.5 x 457 | 1-3/4 x 18 | 44,5 | 1 457 | 1 000 | 1 534 | 1 076 | 118 | 60,5 | 253 | 467 | 23 | 12 |
| 11.511031797 | 12,7 | 44.5 x 610 | 1-3/4 x 24 | 44,5 | 1 762 | 1 153 | 1 838 | 1 229 | 118 | 60,5 | 253 | 619 | 26,4 | 12 |
| 11.511031813 | 16,8 | 50.8 x 610 | 2 x 24 | 50,8 | 1 922 | 1 313 | 2 011 | 1 402 | 148 | 68,3 | 331 | 622 | 37,9 | 12 |
| 11.511031831 | 27,2 | 63.5 x 610 | 2-1/2 x 24 | 63,5 | 2 011 | 1 402 | 2 113 | 1 503 | 165 | 79,2 | 350 | 625 | 67,4 | 12 |
| 11.511031859 | 34 | 69.9 x 610 | 2-3/4 x 24 | 69,9 | 2 066 | 1 456 | 2 180 | 1 571 | 178 | 82,6 | 383 | 626 | 79,1 | 12 |

Креслення

